

F&L EXCAVATOR PARTS LIMITED

WWW.FNLPARTS.COM

WEAR PRODUCTS LIST



ABOUT F&L

F&L focuses on high quality parts for excavators and bulldozers. For wear chocky bars, our main market currently is Australia, Middle East and South America. Behind each product we sell, there's a professional supporting technician team.

ABOUT WEAR PRODUCTS

As a cost-saving solution for superior wear and impact resistance, F&L provides a wide range of bimetallic wear products, including (but not limited to) wear chocky bars, wafer strips, solid strips, wear buttons and wear donuts.

At F&L, we adopt American industry standard for the chromium white iron 15/3CrMo, reaching a minimum hardness of HRC 63, highly wear-resistant. As for backing material, we choose different mild steel according to different applications. Also, vacuum brazing technique is adopted for bonding two materials together.

We also manufacture various bimetallic wear products according to your customized design.

MODELS & AVAILABILITY

Chocky bars	Specification (mm)	L (Length)	W (Width)	T (Thickness)	B (Backing)
CB 25 FL	240x25x23	240	25	23	8
CB 30 FL	240x30x23	240	30	23	8
CB 38 FL	240x38x23	240	38	23	8
CB 40 FL	240x40x23	240	40	23	8
CB 50 FL	240x50x23	240	50	23	8
CB 65 FL	240x65x23	240	65	23	8
CB 80 FL	240x80x23	240	80	23	8

F&L EXCAVATOR PARTS LIMITED

WWW.FNLPARTS.COM

CB 90 FL	240x90x23	240	90	23	8
CB 100 FL	240x100x23	240	100	23	8
CB 130 FL	240x130x23	240	130	23	8

* Any size could be customized

* Arc studs (bolt holes) could be added when requested

* Backing could be notched or non-notched

Wafer Strips	Specification (mm)	L (Length)	W (Width)	T (Thickness)	B (Backing)
WS 25FL	240x25x12	240	25	12	6
WS 40FL	240x40x12	240	40	12	6
WS 50FL	240x50x12	240	50	12	6
WS 65FL	240x65x12	240	65	12	6
WS 80FL	240x80x12	240	80	12	6
WS 90FL	240x90x12	240	90	12	6

* Any size could be customized

* Arc studs (bolt holes) could be added when requested

* Backing could be notched or non-notched

Solid Strips	Specification (mm)	L (Length)	W (Width)	T (Thickness)	B (Backing)
SS 150FL	150x50x50	150	50	50	10
SS 160FL	160x75x50	160	75	50	10
SS 170FL	170x75x60	170	75	60	10
SS 190 FL	190x50x50	190	50	50	10
SS 200FL	200x75x75	200	75	75	12
SS 210 FL	210x50x50	210	50	50	12
SS 230 FL	230x50x50	230	50	50	12
SS 250FL	250x50x50	250	50	50	10

F&L EXCAVATOR PARTS LIMITED

WWW.FNLPARTS.COM

SS 300 FL	300x150x60	300	150	60	12
SS 450 FL	450x38x31	450	38	31	6
SS 600 FL	600x50x50	600	50	50	12

* Any size could be customized

* Arc studs (bolt holes) could be added when requested


Wear Buttons	Specification (mm)	D (Diameter)	T (Thickness)	B (Backing)
WB 50FL	∅50x27	50	27	10
WB 60 FL	∅60x27	60	27	10
WB 70 FL	∅70x27	70	27	10
WB 80FL	∅80x27	80	27	10
WB 90 FL	∅90x27	90	27	10
WB 110 FL	∅110x32	110	32	12
WB 130 FL	∅130x32	130	32	12
WB 150 FL	∅150x41	150	41	16

* Any size could be customized

WWW.FNLPARTS.COM

PHONE: 0086-1595-921-7953

EMAIL: SALES@FNLPARTS.COM



F&L EXCAVATOR PARTS LIMITED

WWW.FNLPARTS.COM

YOUR CHOICE FOR QUALITY PARTS !